HELIUS

Explosion-Proof Series

LATEST PRODUCT CATALOG

Can operate safely and reliably in flammable and explosive environments

2026

HELIUS

ABOUT HELIUS

Founded in 2011, Shenzhen Tuliang Technology Co., Ltd. is a manufacturer and end-to-end supply chain service provider with 15 years of specialized experience in the cross-border flashlight and lighting industry. Headquartered in Shenzhen, Guangdong, the company's team of over 200 employees covers all aspects of the business, including product R&D, precision manufacturing, cross-border e-commerce, supply chain management, quality control, and after-sales operations and maintenance. The company owns a standardized production facility of over 2,000 square meters and a brand showroom of over 150 square meters, equipped with 15 fully automated mass production lines, solidifying its position among the top players in the cross-border lighting industry.

The company's product portfolio encompasses a full range of lighting products, including LED flashlights, headlamps, bicycle lights, searchlights, camping lights, and work lights. Its products are exported to over 100 countries and regions, and the company has established deep partnerships with more than 2,000 domestic and international distributors, having served over 500 e-commerce clients to date. Guided by the mission "15 Years of Smart Manufacturing in Cross-Border Lighting · Win-Win with Global Merchants," the company is committed to providing global cross-border merchants, brand owners, and engineering procurement clients with integrated lighting solutions for global expansion—encompassing R&D, customization, production, warehousing, and worldwide delivery.

www.heliuslights.com

ABOUT US

OUR ADVANTAGES

15+
Years flashlight industry Experience

2,000+
Clients/ Companies in Services

100+
Exporting Countries and Regions

50+
Staffs services professional team

7*24
Hours services

10000+
Delivery goods each day

BRAND MILESTONES

With over two decades of experience in the lighting industry





OUR MISSION

Become a global supplier of portable lighting equipment



BL2

Exic II CT4 Gc

Explosion-proof Safety Certification

Material	High-hardness aluminum alloy	**LED**	LPE2 LED chip
Light Source	3W White LED	**Battery**	2000mAh 18650
Max. Lumens	400lm	**Max. Throw**	300m
Max. Runtime	10h	**Charging**	Type-C Fast Charging
Waterproof	IPX4	**Weight**	126g (without battery)
Dimensions	125*40*29mm	**Switch**	One-button on/off
Magnetic Tail Cap	None	**Clip**	None
Battery Indicator	None	**Box Specifications**	50pcs/14.5kg
Package Contents	Flashlight + Charging Cable + Bike Clip + O-Ring + Battery		
Modes	Single Click: High - Medium - SOS		



BL4

Exic II CT6 Gc

Explosion-proof Safety Certification

Material	High-hardness aluminum alloy	**LED**	LPE2 LED chip
Light Source	White LED	**Battery**	2000mAh 18650
Max. Lumens	550lm	**Max. Throw**	300m
Max. Runtime	12h	**Charging**	Type-C Fast Charging
Waterproof	IPX4	**Weight**	123g (without battery)
Dimensions	148*39*29mm	**Switch**	One-button on/off
Magnetic Tail Cap	None	**Clip**	None
Battery Indicator	None	**Box Specifications**	50pcs/14.5kg
Package Contents	Standalone Flashlight + 18650 Lithium-ion battery + Type-C charging cable + Anti-loss wrist strap + Instruction Manual		
Modes	Single Click: High - Medium - SOS		



D3LG

Exic II CT6 Gc

Explosion-proof Safety Certification

Material	High-hardness aluminum alloy	**LED**	XG2 LED chip
Light Source	3.5W White LED	**Battery**	Rechargeable battery cell
Max. Lumens	400lm	**Max. Throw**	500m
Max. Runtime	10h	**Charging**	AC Plug charging
Waterproof	IPX4	**Weight**	352g (without battery)
Dimensions	315*60*38mm	**Switch**	One-button on/off
Magnetic Tail Cap	None	**Clip**	None
Battery Indicator	None	**Box Specifications**	20pcs/14.5kg
Package Contents	Host Flashlight + Worry-Free Battery Cells + Instruction Manual		
Modes	Single Click: High - Medium - SOS		

CNEX





698–Spotlight 699–Floodlight

698-699 Exic II CT6 Gc

Explosion–proof Safety Certification

Material	High-hardness ABS Material	**LED**	LPE2 LED chip
Light Source	3W White LED	**Battery**	Built-in battery (2800mAh 18650)
Max. Lumens	400lm	**Max. Throw**	200m/300m
Max. Runtime	40h	**Charging**	AC/DC Charger
Waterproof	IPX4	**Weight**	120g (Includes battery)
Dimensions	80*75*55mm	**Switch**	One-button on/off
Magnetic Tail Cap	None	**Clip**	None
Battery Indicator	None	**Box Specifications**	60pcs/17.2kg
Package Contents	698/699 Standalone + Headlight strip + AC/DC Charger		
Modes	Single Click: High - Medium - SOS		



H7210 Exic II CT4 Gb

Explosion-proof Safety Certification

Material	Aviation-grade aluminum alloy	**LED**	-
Light Source	5W White LED	**Battery**	Built-in battery （2800mAh 18650）
Max. Lumens	350lm	**Max. Throw**	> 200m
Max. Runtime	16h	**Charging**	Type-C Charger
Waterproof	IPX6	**Weight**	337±5g (without battery)
Dimensions	211*42*26mm	**Switch**	One-button on/off
Magnetic Tail Cap	Rear window breaker	**Rear window breaker**	Yes
Battery Indicator	Yes / 4-bar battery indicator, 25% battery level change.	**Box Specifications**	36pcs/19.8kg
Package Contents	698/699 Standalone + Headlight strip + AC/DC Charger		
Modes	Single Click: High - Medium - SOS		



H7211 Ex d IIC T6 Gb

Explosion-proof Safety Certification

Material	Aviation-grade aluminum alloy	**LED**	-
Light Source	10W White LED	**Battery**	5000mAh 26650
Max. Lumens	1000lm	**Max. Throw**	>1000m
Max. Runtime	10h	**Charging**	AC/DC Charger
Waterproof	IPX8 (50 meters underwater, 1 hour)	**Weight**	643±10g(without battery)
Dimensions	264*68*36mm	**Switch**	Smart Magnetron Silent Switch
Magnetic Tail Cap	None	**Rear window breaker**	Yes
Battery Indicator	Yes	**Box Specifications**	20pcs/20.8kg
Package Contents	Device + Charger + Wrist strap + Shoulder strap + Silicone case + User manual		
Modes	Push: High - Medium - SOS		



H7118

Lighting, video, and photography—all in one

Explosion-proof HD Flashlight

Material	Aviation-grade aluminum alloy	**LED**	-
Light Source	3W White LED	**Battery**	5000mAh 26650
Max. Lumens	-	**Max. Throw**	-
Max. Runtime	13h	**Charging**	Charging Time≤5 hours
Waterproof	IP66	**Weight**	295±10(without battery)
Dimensions	175*46*34mm	**Switch**	Multi-button operation
Camera resolution	12 million	**Video Format**	MP4
Battery Indicator	Yes	**Box Specifications**	10pcs/8.17kg
Package Contents	Device + Power adapter + USB charging cable + Wrist strap + User manual		
Modes	Push: High - Medium - SOS	**Storage capacity**	16G/32G/64G/128G/256G



H7500

Explosion-proof flashlight

Handles harsh environments with ease

Material	Aviation-grade aluminum alloy	**LED**	-
Light Source	10W White LED	**Battery**	5000mAh 21700
Max. Lumens	-	**Max. Throw**	-
Max. Runtime	16h	**Charging**	AC/DC Charging
Waterproof	IP66	**Weight**	274g±5g(without battery)
Dimensions	161*54*32mm	**Switch**	Multi-button operation
Magnetic Tail Cap	None	**Clip**	None
Battery Indicator	Yes	**Box Specifications**	30pcs/14.2kg
Package Contents	Unit + Charger + Carrying strap + Charging cable + User manual		
Modes	Single Click: High - Medium - SOS		



H7307 ExibIICT4Gb

Compact, lightweight, and easy to carry.

Material	Aviation-grade aluminum alloy	**LED**	-
Light Source	3W White LED	**Battery**	1900mAh 18500
Max. Lumens	-	**Max. Throw**	-
Max. Runtime	8h	**Charging**	Type-C Charging
Waterproof	IP66	**Weight**	90g±5g(without battery)
Dimensions	121*23mm	**Switch**	Silicone button on the back: One-touch on/off
Magnetic Tail Cap	None	**Clip**	None
Battery Indicator	Yes (LCD display—gear indicator + low voltage/battery level indicator)	**Box Specifications**	68pcs/16kg
Package Contents	Unit + Charger + Carrying strap + Charging cable + User manual		
Modes	Single Click: High - Medium - SOS		

THANK YOU

HELIUS®

SHENZHEN TULIANG TECHNOLOGY CO.,LTD.

Address: 3F20, Nanshan International Building, Aotou, Daya Bay, Huizhou, Guangdong, China

Number: (0752) 511 8309 E-mail: info@heliuslights.com https: www.heliusworld.com